


GCSE COMBINED SCIENCE: TRILOGY

(8464)

Specification

For teaching from September 2016 onwards
For exams in 2018 onwards

Version 1.1 04 October 2019



2 Specification at a glance

This qualification is linear. Linear means that students will sit all their exams at the end of the course.

Physics

- 18. [Energy](#) (page 121)
- 19. [Electricity](#) (page 127)
- 20. [Particle model of matter](#) (page 135)
- 21. [Atomic structure](#) (page 138)
- 22. [Forces](#) (page 143)
- 23. [Waves](#) (page 155)
- 24. [Magnetism and electromagnetism](#) (page 159)

2.2 Assessments

There are six papers: two biology, two chemistry and two physics. Each of the papers will assess knowledge and understanding from distinct topic areas.

Physics Paper 1

What's assessed

Physics topics 18–21: Energy; Electricity; Particle model of matter; and Atomic structure.

How it's assessed

- Written exam: 1 hour 15 minutes
- Foundation and Higher Tier
- 70 marks
- 16.7% of GCSE

Questions

Multiple choice, structured, closed short answer, and open response.



Physics Paper 2

What's assessed

Physics topics 22–24: Forces; Waves; and Magnetism and electromagnetism

How it's assessed

- Written exam: 1 hour 15 minutes
- Foundation and Higher Tier
- 70 marks
- 16.7% of GCSE

Questions

Multiple choice, structured, closed short answer, and open response.

6 Physics subject content

This specification is presented in a two column format.

The subject content is split into three sections for each of the subject areas: biology, chemistry and physics.

The left hand column contains the subject content that all students must cover, and that can be assessed in the written papers.

The right hand column exemplifies some of the key opportunities for the following skills to be developed throughout the course: WS refers to [Working scientifically](#) (page 13), MS refers to [Mathematical requirements](#) (page 171) and AT refers to [Use of apparatus and techniques](#) (page 173). These are not the only opportunities. Teachers are encouraged to introduce all of these skills where appropriate throughout the course.

Each topic begins with an overview. The overview puts the topic into a broader context and is intended to encourage an overarching approach to both the teaching and learning of each of the topic areas. It is not directly assessed. Any assessable content in this overview is replicated in the left hand column.

It is good practice to teach and develop all of the mathematical skills throughout the course. Some mathematical skills will only be assessed in certain subject areas. These are detailed in [Mathematical requirements](#) (page 171).

Science is a practical subject. Details of the assessment of required practicals can be found in [Required practical activities](#) (page 175).

[Working scientifically](#) (page 13) and [Use of apparatus and techniques](#) (page 173) skills will be assessed across all papers.

Content that is only applicable to Higher Tier is indicated by (HT only) either next to the topic heading where it applies to the whole topic or immediately preceding each paragraph or bullet point as applicable.

Questions in paper 2 may draw on an understanding of energy changes and transfers due to heating, mechanical and electrical work and the concept of energy conservation from sections [Energy](#) (page 121) and [Electricity](#) (page 127).

6.1 Energy

The concept of energy emerged in the 19th century. The idea was used to explain the work output of steam engines and then generalised to understand other heat engines. It also became a key tool for understanding chemical reactions and biological systems.

Limits to the use of fossil fuels and global warming are critical problems for this century. Physicists and engineers are working hard to identify ways to reduce our energy usage.

6.1.1 Energy changes in a system, and the ways energy is stored before and after such changes

6.1.1.1 Energy stores and systems

Content	Key opportunities for skills development
<p>A system is an object or group of objects.</p> <p>There are changes in the way energy is stored when a system changes.</p> <p>Students should be able to describe all the changes involved in the way energy is stored when a system changes, for common situations. For example:</p> <ul style="list-style-type: none">• an object projected upwards• a moving object hitting an obstacle• an object accelerated by a constant force• a vehicle slowing down• bringing water to a boil in an electric kettle. <p>Throughout this section on Energy students should be able to calculate the changes in energy involved when a system is changed by:</p> <ul style="list-style-type: none">• heating• work done by forces• work done when a current flows	<p>The link between work done (energy transfer) and current flow in a circuit is covered in Work done and energy transfer (page 146).</p> <p>WS 4.5</p>
<ul style="list-style-type: none">• use calculations to show on a common scale how the overall energy in a system is redistributed when the system is changed.	<p>WS 1.2, 4.3, 4.5, 4.6</p> <p>MS 1a, c, 3b, c</p>

6.1.1.2 Changes in energy

Content	Key opportunities for skills development
<p>Students should be able to calculate the amount of energy associated with a moving object, a stretched spring and an object raised above ground level.</p>	<p>WS 1.2, 4.3, 4.4, 4.6</p> <p>MS 1a, c, 3b, c</p>

Content	Key opportunities for skills development
<p>The kinetic energy of a moving object can be calculated using the equation:</p> $\text{kinetic energy} = 0.5 \times \text{mass} \times (\text{speed})^2$ $[E_k = \frac{1}{2} m v^2]$ <p>kinetic energy, E_k, in joules, J mass, m, in kilograms, kg speed, v, in metres per second, m/s</p> <p>The amount of elastic potential energy stored in a stretched spring can be calculated using the equation:</p>	<p>MS 3b, c</p> <p>Students should be able to recall and apply this equation.</p>
$\text{elastic potential energy} = 0.5 \times \text{spring constant} \times (\text{extension})^2$ $[E_e = \frac{1}{2} k e^2]$ <p>(assuming the limit of proportionality has not been exceeded)</p> <p>elastic potential energy, E_e, in joules, J spring constant, k, in newtons per metre, N/m extension, e, in metres, m</p> <p>The amount of gravitational potential energy gained by an object raised above ground level can be calculated using the equation:</p>	<p>MS 3b, c</p> <p>Students should be able to apply this equation which is given on the <i>Physics equation sheet</i>.</p>
$g.p.e. = \text{mass} \times \text{gravitational field strength} \times \text{height}$ $[E_p = m g h]$ <p>gravitational potential energy, E_p, in joules, J mass, m, in kilograms, kg gravitational field strength, g, in newtons per kilogram, N/kg (In any calculation the value of the gravitational field strength (g) will be given). height, h, in metres, m</p>	<p>MS 3b, c</p> <p>Students should be able to recall and apply this equation.</p> <p>AT 1</p> <p>Investigate the transfer of energy from a gravitational potential energy store to a kinetic energy store.</p>

6.1.1.3 Energy changes in systems

Content	Key opportunities for skills development
<p>The amount of energy stored in or released from a system as its temperature changes can be calculated using the equation:</p>	

Content	Key opportunities for skills development
<p><i>change in thermal energy = mass × specific heat capacity × temperature change</i></p> <p>$[\Delta E = m c \Delta \theta]$</p> <p>change in thermal energy, ΔE, in joules, J</p> <p>mass, m, in kilograms, kg</p> <p>specific heat capacity, c, in joules per kilogram per degree Celsius, J/kg °C</p> <p>temperature change, $\Delta \theta$, in degrees Celsius, °C</p> <p>The specific heat capacity of a substance is the amount of energy required to raise the temperature of one kilogram of the substance by one degree Celsius.</p>	<p>MS 3b, c</p> <p>Students should be able to apply this equation which is given on the <i>Physics equation sheet</i>.</p> <p>This equation and specific heat capacity are also included in Temperature changes in a system and specific heat capacity (page 137).</p>

Required practical activity 14: an investigation to determine the specific heat capacity of one or more materials. The investigation will involve linking the decrease of one energy store (or work done) to the increase in temperature and subsequent increase in thermal energy stored.

AT skills covered by this practical activity: physics AT 1 and 5.

This practical activity also provides opportunities to develop WS and MS. Details of all skills are given in [Key opportunities for skills development](#) (page 184).

6.1.1.4 Power

Content	Key opportunities for skills development
<p>Power is defined as the rate at which energy is transferred or the rate at which work is done.</p> $\text{power} = \frac{\text{energy transferred}}{\text{time}}$ $\left[P = \frac{E}{t} \right]$ $\text{power} = \frac{\text{work done}}{\text{time}}$ $\left[P = \frac{W}{t} \right]$ <p>power, P, in watts, W</p> <p>energy transferred, E, in joules, J</p> <p>time, t, in seconds, s</p> <p>work done, W, in joules, J</p> <p>An energy transfer of 1 joule per second is equal to a power of 1 watt.</p> <p>Students should be able to give examples that illustrate the definition of power eg comparing two electric motors that both lift the same weight through the same height but one does it faster than the other.</p>	<p>MS 3b, c</p> <p>Students should be able to recall and apply both equations.</p>

6.1.2 Conservation and dissipation of energy

6.1.2.1 Energy transfers in a system

Content	Key opportunities for skills development
<p>Energy can be transferred usefully, stored or dissipated, but cannot be created or destroyed.</p> <p>Students should be able to describe with examples where there are energy transfers in a closed system, that there is no net change to the total energy.</p> <p>Students should be able to describe, with examples, how in all system changes energy is dissipated, so that it is stored in less useful ways. This energy is often described as being 'wasted'.</p>	

Content	Key opportunities for skills development
<p>Students should be able to explain ways of reducing unwanted energy transfers, for example through lubrication and the use of thermal insulation.</p> <p>The higher the thermal conductivity of a material the higher the rate of energy transfer by conduction across the material.</p> <p>Students should be able to describe how the rate of cooling of a building is affected by the thickness and thermal conductivity of its walls.</p> <p>Students do not need to know the definition of thermal conductivity.</p>	<p>WS 1.4</p> <p>AT 1, 5</p> <p>Investigate thermal conductivity using rods of different materials.</p>

6.1.2.2 Efficiency

Content	Key opportunities for skills development
<p>The energy efficiency for any energy transfer can be calculated using the equation:</p> $efficiency = \frac{useful\ output\ energy\ transfer}{total\ input\ energy\ transfer}$ <p>Efficiency may also be calculated using the equation:</p> $efficiency = \frac{useful\ power\ output}{total\ power\ input}$	<p>MS 3b, c</p> <p>Students should be able to recall and apply both equations.</p> <p>MS 1a, c, 3b, c</p> <p>Students may be required to calculate or use efficiency values as a decimal or as a percentage.</p>
<p>(HT only) Students should be able to describe ways to increase the efficiency of an intended energy transfer.</p>	<p>(HT only) WS 1.4</p>

6.1.3 National and global energy resources

Content	Key opportunities for skills development
<p>The main energy resources available for use on Earth include: fossil fuels (coal, oil and gas), nuclear fuel, bio-fuel, wind, hydro-electricity, geothermal, the tides, the Sun and water waves.</p> <p>A renewable energy resource is one that is being (or can be) replenished as it is used.</p> <p>The uses of energy resources include: transport, electricity generation and heating.</p> <p>Students should be able to:</p> <ul style="list-style-type: none"> describe the main energy sources available distinguish between energy resources that are renewable and energy resources that are non-renewable compare ways that different energy resources are used, the uses to include transport, electricity generation and heating understand why some energy resources are more reliable than others 	WS 4.4
<ul style="list-style-type: none"> describe the environmental impact arising from the use of different energy resources 	WS 1.3, 1.4
<ul style="list-style-type: none"> explain patterns and trends in the use of energy resources. 	WS 3.5
<p>Descriptions of how energy resources are used to generate electricity are not required.</p>	
<p>Students should be able to:</p> <ul style="list-style-type: none"> consider the environmental issues that may arise from the use of different energy resources show that science has the ability to identify environmental issues arising from the use of energy resources but not always the power to deal with the issues because of political, social, ethical or economic considerations. 	WS 1.3, 1.4, 4.4 MS 1c, 2c, 4a

6.2 Electricity


Electric charge is a fundamental property of matter everywhere. Understanding the difference in the microstructure of conductors, semiconductors and insulators makes it possible to design components and build electric circuits. Many circuits are powered with mains electricity, but portable electrical devices must use batteries of some kind.

Electrical power fills the modern world with artificial light and sound, information and entertainment, remote sensing and control. The fundamentals of electromagnetism were worked out by scientists of the 19th century. However, power stations, like all machines, have a limited lifetime. If we all

continue to demand more electricity this means building new power stations in every generation – but what mix of power stations can promise a sustainable future?

6.2.1 Current, potential difference and resistance

6.2.1.1 Standard circuit diagram symbols

Content	Key opportunities for skills development
<p>Circuit diagrams use standard symbols.</p>  <p>Students should be able to draw and interpret circuit diagrams.</p>	<p>WS 1.2</p>

6.2.1.2 Electrical charge and current

Content	Key opportunities for skills development
<p>For electrical charge to flow through a closed circuit the circuit must include a source of potential difference.</p>	

Content	Key opportunities for skills development
<p>Electric current is a flow of electrical charge. The size of the electric current is the rate of flow of electrical charge. Charge flow, current and time are linked by the equation:</p> <p><i>charge flow = current × time</i></p> <p>[$Q = I t$]</p> <p>charge flow, Q, in coulombs, C</p> <p>current, I, in amperes, A (amp is acceptable for ampere)</p> <p>time, t, in seconds, s</p> <p>A current has the same value at any point in a single closed loop.</p>	<p>MS 3b, c</p> <p>Students should be able to recall and apply this equation.</p>

6.2.1.3 Current, resistance and potential difference

Content	Key opportunities for skills development
<p>The current (I) through a component depends on both the resistance (R) of the component and the potential difference (V) across the component. The greater the resistance of the component the smaller the current for a given potential difference (pd) across the component.</p> <p>Questions will be set using the term potential difference. Students will gain credit for the correct use of either potential difference or voltage.</p>	
<p>Current, potential difference or resistance can be calculated using the equation:</p> <p><i>potential difference = current × resistance</i></p> <p>[$V = I R$]</p> <p>potential difference, V, in volts, V</p> <p>current, I, in amperes, A (amp is acceptable for ampere)</p> <p>resistance, R, in ohms, Ω</p>	<p>MS 3b, c</p> <p>Students should be able to recall and apply this equation.</p>




Required practical activity 15: use circuit diagrams to set up and check appropriate circuits to investigate the factors affecting the resistance of electrical circuits. This should include:

- the length of a wire at constant temperature
- combinations of resistors in series and parallel.

AT skills covered by this practical activity: physics AT 1, 6 and 7.

This practical activity also provides opportunities to develop WS and MS. Details of all skills are given in [Key opportunities for skills development](#) (page 185).

6.2.1.4 Resistors

Content	Key opportunities for skills development
<p>Students should be able to explain that, for some resistors, the value of R remains constant but that in others it can change as the current changes.</p> <p>The current through an ohmic conductor (at a constant temperature) is directly proportional to the potential difference across the resistor. This means that the resistance remains constant as the current changes.</p>  <p>The resistance of components such as lamps, diodes, thermistors and LDRs is not constant; it changes with the current through the component.</p> <p>The resistance of a filament lamp increases as the temperature of the filament increases.</p>  <p>The current through a diode flows in one direction only. The diode has a very high resistance in the reverse direction.</p> 	

Content	Key opportunities for skills development
<p>The resistance of a thermistor decreases as the temperature increases.</p> <p>The applications of thermistors in circuits eg a thermostat is required.</p> <p>The resistance of an LDR decreases as light intensity increases.</p>	
<p>The application of LDRs in circuits eg switching lights on when it gets dark is required.</p> <p>Students should be able to:</p>	WS 1.2, 1.4
<ul style="list-style-type: none"> explain the design and use of a circuit to measure the resistance of a component by measuring the current through, and potential difference across, the component draw an appropriate circuit diagram using correct circuit symbols. 	<p>AT 6</p> <p>Investigate the relationship between the resistance of a thermistor and temperature.</p> <p>Investigate the relationship between the resistance of an LDR and light intensity.</p>
<p>Students should be able to use graphs to explore whether circuit elements are linear or non-linear and relate the curves produced to their function and properties.</p>	<p>WS 1.2, 1.4</p> <p>MS 4c, 4d, 4e</p>

Required practical activity 16: use circuit diagrams to construct appropriate circuits to investigate the I–V characteristics of a variety of circuit elements, including a filament lamp, a diode and a resistor at constant temperature.

AT skills covered by this practical activity: physics AT 6 and 7.

This practical activity also provides opportunities to develop WS and MS. Details of all skills are given in [Key opportunities for skills development](#) (page 186).

6.2.2 Series and parallel circuits

Content	Key opportunities for skills development
<p>There are two ways of joining electrical components, in series and in parallel. Some circuits include both series and parallel parts.</p> <p>For components connected in series:</p> <ul style="list-style-type: none"> there is the same current through each component the total potential difference of the power supply is shared between the components the total resistance of two components is the sum of the resistance of each component. 	

Content	Key opportunities for skills development
$R_{total} = R_1 + R_2$ resistance, R , in ohms, Ω For components connected in parallel: <ul style="list-style-type: none"> the potential difference across each component is the same the total current through the whole circuit is the sum of the currents through the separate components the total resistance of two resistors is less than the resistance of the smallest individual resistor. Students should be able to:	MS 1c, 3b, 3c, 3d
<ul style="list-style-type: none"> use circuit diagrams to construct and check series and parallel circuits that include a variety of common circuit components describe the difference between series and parallel circuits explain qualitatively why adding resistors in series increases the total resistance whilst adding resistors in parallel decreases the total resistance 	AT 7
<ul style="list-style-type: none"> explain the design and use of dc series circuits for measurement and testing purposes 	WS 1.4
<ul style="list-style-type: none"> calculate the currents, potential differences and resistances in dc series circuits solve problems for circuits which include resistors in series using the concept of equivalent resistance. Students are not required to calculate the total resistance of two resistors joined in parallel.	MS 1c, 3b, c, d

6.2.3 Domestic uses and safety

6.2.3.1 Direct and alternating potential difference

Content	Key opportunities for skills development
Mains electricity is an ac supply. In the United Kingdom the domestic electricity supply has a frequency of 50 Hz and is about 230 V. Students should be able to explain the difference between direct and alternating potential difference.	

6.2.3.2 Mains electricity

Content	Key opportunities for skills development
<p>Most electrical appliances are connected to the mains using three-core cable.</p> <p>The insulation covering each wire is colour coded for easy identification:</p> <p>live wire – brown</p> <p>neutral wire – blue</p> <p>earth wire – green and yellow stripes.</p> <p>The live wire carries the alternating potential difference from the supply. The neutral wire completes the circuit. The earth wire is a safety wire to stop the appliance becoming live.</p> <p>The potential difference between the live wire and earth (0 V) is about 230 V. The neutral wire is at, or close to, earth potential (0 V). The earth wire is at 0 V, it only carries a current if there is a fault.</p> <p>Students should be able to explain:</p> <ul style="list-style-type: none"> • that a live wire may be dangerous even when a switch in the mains circuit is open • the dangers of providing any connection between the live wire and earth. 	WS 1.5

6.2.4 Energy transfers

6.2.4.1 Power

Content	Key opportunities for skills development
<p>Students should be able to explain how the power transfer in any circuit device is related to the potential difference across it and the current through it, and to the energy changes over time:</p> <p><i>power = potential difference × current</i></p> <p>$[P = VI]$</p> <p><i>power = (current)² × resistance</i></p> <p>$[P = I^2 R]$</p> <p>power, P, in watts, W</p> <p>potential difference, V, in volts, V</p> <p>current, I, in amperes, A (amp is acceptable for ampere)</p> <p>resistance, R, in ohms, Ω</p>	<p>MS 3b, c</p> <p>WS 4.5</p> <p>Students should be able to recall and apply both equations.</p>

6.2.4.2 Energy transfers in everyday appliances

Content	Key opportunities for skills development
<p>Everyday electrical appliances are designed to bring about energy transfers.</p> <p>The amount of energy an appliance transfers depends on how long the appliance is switched on for and the power of the appliance.</p> <p>Students should be able to describe how different domestic appliances transfer energy from batteries or ac mains to the kinetic energy of electric motors or the energy of heating devices.</p> <p>Work is done when charge flows in a circuit.</p> <p>The amount of energy transferred by electrical work can be calculated using the equation:</p>	
<p><i>energy transferred = power × time</i></p> <p>[$E = P t$]</p> <p><i>energy transferred = charge flow × potential difference</i></p> <p>[$E = Q V$]</p> <p>energy transferred, E, in joules, J</p> <p>power, P, in watts, W</p> <p>time, t, in seconds, s</p> <p>charge flow, Q, in coulombs, C</p> <p>potential difference, V, in volts, V</p>	<p>MS 3b, c</p> <p>Students should be able to recall and apply both equations.</p> <p>WS 1.4</p>
<p>Students should be able to explain how the power of a circuit device is related to:</p> <ul style="list-style-type: none"> the potential difference across it and the current through it the energy transferred over a given time. <p>Students should be able to describe, with examples, the relationship between the power ratings for domestic electrical appliances and the changes in stored energy when they are in use.</p>	<p>WS 1.2</p>

6.2.4.3 The National Grid

Content	Key opportunities for skills development
<p>The National Grid is a system of cables and transformers linking power stations to consumers.</p>	

Content	Key opportunities for skills development
<p>Electrical power is transferred from power stations to consumers using the National Grid.</p> <p>Step-up transformers are used to increase the potential difference from the power station to the transmission cables then step-down transformers are used to decrease, to a much lower value, the potential difference for domestic use.</p> <p>Students should be able to explain why the National Grid system is an efficient way to transfer energy.</p> <p>Higher tier only:</p> <p>Students should be able to select and use the equation:</p> <p>potential difference across primary coil x current in primary coil = potential difference across secondary coil x current in secondary coil</p> <p>as given on the equation sheet.</p>	<p>WS 1.4</p> <p>Detailed knowledge of the structure of a transformer is not required.</p>

6.3 Particle model of matter

The particle model is widely used to predict the behaviour of solids, liquids and gases and this has many applications in everyday life. It helps us to explain a wide range of observations and engineers use these principles when designing vessels to withstand high pressures and temperatures, such as submarines and spacecraft. It also explains why it is difficult to make a good cup of tea high up a mountain!

6.3.1 Changes of state and the particle model

6.3.1.1 Density of materials

Content	Key opportunities for skills development
<p>The density of a material is defined by the equation:</p> $\text{density} = \frac{\text{mass}}{\text{volume}}$ $\left[\rho = \frac{m}{V} \right]$ <p>density, ρ, in kilograms per metre cubed, kg/m^3</p> <p>mass, m, in kilograms, kg</p> <p>volume, V, in metres cubed, m^3</p> <p>The particle model can be used to explain</p> <ul style="list-style-type: none"> the different states of matter differences in density. 	<p>MS 1a, b, c, 3b, c</p> <p>Students should be able to recall and apply this equation to changes where mass is conserved.</p>

Content	Key opportunities for skills development
Students should be able to recognise/draw simple diagrams to model the difference between solids, liquids and gases.	WS 1.2
Students should be able to explain the differences in density between the different states of matter in terms of the arrangement of atoms or molecules.	WS 1.2

Required practical activity 17: use appropriate apparatus to make and record the measurements needed to determine the densities of regular and irregular solid objects and liquids. Volume should be determined from the dimensions of regularly shaped objects, and by a displacement technique for irregularly shaped objects. Dimensions to be measured using appropriate apparatus such as a ruler, micrometer or Vernier callipers.

AT skills covered by this practical activity: physics AT 1.

This practical activity also provides opportunities to develop WS and MS. Details of all skills are given in [Key opportunities for skills development](#) (page 187).

6.3.1.2 Changes of state

Content	Key opportunities for skills development
<p>Students should be able to describe how, when substances change state (melt, freeze, boil, evaporate, condense or sublimate), mass is conserved.</p> <p>Changes of state are physical changes which differ from chemical changes because the material recovers its original properties if the change is reversed.</p>	

6.3.2 Internal energy and energy transfers

6.3.2.1 Internal energy

Content	Key opportunities for skills development
<p>Energy is stored inside a system by the particles (atoms and molecules) that make up the system. This is called internal energy.</p> <p>Internal energy is the total kinetic energy and potential energy of all the particles (atoms and molecules) that make up a system.</p> <p>Heating changes the energy stored within the system by increasing the energy of the particles that make up the system. This either raises the temperature of the system or produces a change of state.</p>	

6.3.2.2 Temperature changes in a system and specific heat capacity

Content	Key opportunities for skills development
<p>If the temperature of the system increases:</p> <p>The increase in temperature depends on the mass of the substance heated, the type of material and the energy input to the system.</p>	
<p>The following equation applies:</p> <p><i>change in thermal energy = mass × specific heat capacity × temperature change</i></p> <p>$[\Delta E = m c \Delta \theta]$</p> <p>change in thermal energy, ΔE, in joules, J</p> <p>mass, m, in kilograms, kg</p> <p>specific heat capacity, c, in joules per kilogram per degree Celsius, J/kg °C</p> <p>temperature change, $\Delta \theta$, in degrees Celsius, °C.</p> <p>The specific heat capacity of a substance is the amount of energy required to raise the temperature of one kilogram of the substance by one degree Celsius.</p>	<p>MS 1a, 3b, 3c, 3d</p> <p>Students should be able to apply this equation, which is given on the <i>Physics equation sheet</i>, to calculate the energy change involved when the temperature of a material changes.</p> <p>This equation and specific heat capacity are also included in Energy changes in systems (page 123).</p>

6.3.2.3 Changes of state and specific latent heat

Content	Key opportunities for skills development
<p>If a change of state happens:</p> <p>The energy needed for a substance to change state is called latent heat. When a change of state occurs, the energy supplied changes the energy stored (internal energy) but not the temperature.</p> <p>The specific latent heat of a substance is the amount of energy required to change the state of one kilogram of the substance with no change in temperature.</p>	

Content	Key opportunities for skills development
<p><i>energy for a change of state = mass × specific latent heat</i></p> <p>[$E = m L$]</p> <p>energy, E, in joules, J</p> <p>mass, m, in kilograms, kg</p> <p>specific latent heat, L, in joules per kilogram, J/kg</p> <p>Specific latent heat of fusion – change of state from solid to liquid</p> <p>Specific latent heat of vapourisation – change of state from liquid to vapour</p>	<p>MS 1a, 3b, c, d</p> <p>Students should be able to apply this equation, which is given on the <i>Physics equation sheet</i>, to calculate the energy change involved in a change of state.</p> <p>MS 4a</p> <p>AT 5</p> <p>Perform an experiment to measure the latent heat of fusion of water.</p>
<p>Students should be able to interpret heating and cooling graphs that include changes of state.</p> <p>Students should be able to distinguish between specific heat capacity and specific latent heat.</p>	<p>WS 3.5</p>

6.3.3 Particle model and pressure

6.3.3.1 Particle motion in gases

Content	Key opportunities for skills development
<p>The molecules of a gas are in constant random motion. The temperature of the gas is related to the average kinetic energy of the molecules.</p> <p>Changing the temperature of a gas, held at constant volume, changes the pressure exerted by the gas.</p>	<p>WS 1.2</p>
<p>Students should be able to:</p> <ul style="list-style-type: none"> explain how the motion of the molecules in a gas is related to both its temperature and its pressure explain qualitatively the relation between the temperature of a gas and its pressure at constant volume. 	<p>WS 1.2</p>

6.4 Atomic structure

Ionising radiation is hazardous but can be very useful. Although radioactivity was discovered over a century ago, it took many nuclear physicists several decades to understand the structure of atoms, nuclear forces and stability. Early researchers suffered from their exposure to ionising radiation. Rules for radiological protection were first introduced in the 1930s and subsequently

improved. Today radioactive materials are widely used in medicine, industry, agriculture and electrical power generation.

6.4.1 Atoms and isotopes

6.4.1.1 The structure of an atom

Content	Key opportunities for skills development
<p>Atoms are very small, having a radius of about 1×10^{-10} metres.</p> <p>The basic structure of an atom is a positively charged nucleus composed of both protons and neutrons surrounded by negatively charged electrons.</p> <p>The radius of a nucleus is less than 1/10 000 of the radius of an atom. Most of the mass of an atom is concentrated in the nucleus.</p> <p>The electrons are arranged at different distances from the nucleus (different energy levels). The electron arrangements may change with the absorption of electromagnetic radiation (move further from the nucleus; a higher energy level) or by the emission of electromagnetic radiation (move closer to the nucleus; a lower energy level).</p>	<p>MS 1b</p> <p>WS 4.4</p> <p>Students should be able to recognise expressions given in standard form.</p>

6.4.1.2 Mass number, atomic number and isotopes

Content	Key opportunities for skills development
<p>In an atom the number of electrons is equal to the number of protons in the nucleus. Atoms have no overall electrical charge.</p> <p>All atoms of a particular element have the same number of protons. The number of protons in an atom of an element is called its atomic number.</p> <p>The total number of protons and neutrons in an atom is called its mass number.</p> <p>Atoms can be represented as shown in this example:</p> <p>(Mass number) 23 (Atomic number) 11 Na</p> <p>Atoms of the same element can have different numbers of neutrons; these atoms are called isotopes of that element.</p> <p>Atoms turn into positive ions if they lose one or more outer electron(s).</p>	
<p>Students should be able to relate differences between isotopes to differences in conventional representations of their identities, charges and masses.</p>	<p>WS 4.1</p>

6.4.1.3 The development of the model of the atom (common content with chemistry)

Content	Key opportunities for skills development
<p>New experimental evidence may lead to a scientific model being changed or replaced.</p> <p>Before the discovery of the electron, atoms were thought to be tiny spheres that could not be divided.</p> <p>The discovery of the electron led to the plum pudding model of the atom. The plum pudding model suggested that the atom is a ball of positive charge with negative electrons embedded in it.</p> <p>The results from the alpha particle scattering experiment led to the conclusion that the mass of an atom was concentrated at the centre (nucleus) and that the nucleus was charged. This nuclear model replaced the plum pudding model.</p> <p>Niels Bohr adapted the nuclear model by suggesting that electrons orbit the nucleus at specific distances. The theoretical calculations of Bohr agreed with experimental observations.</p> <p>Later experiments led to the idea that the positive charge of any nucleus could be subdivided into a whole number of smaller particles, each particle having the same amount of positive charge. The name proton was given to these particles.</p> <p>The experimental work of James Chadwick provided the evidence to show the existence of neutrons within the nucleus. This was about 20 years after the nucleus became an accepted scientific idea.</p> <p>Students should be able to describe:</p>	<p>WS 1.1, 1.6</p> <p>This historical context provides an opportunity for students to show an understanding of why and describe how scientific methods and theories develop over time.</p> <p>WS 1.2</p>
<ul style="list-style-type: none"> • why the new evidence from the scattering experiment led to a change in the atomic model 	<p>WS 1.1</p>
<ul style="list-style-type: none"> • the difference between the plum pudding model of the atom and the nuclear model of the atom. 	<p>WS 1.2</p>
<p>Details of experimental work supporting the Bohr model are not required.</p> <p>Details of Chadwick's experimental work are not required.</p>	

6.4.2 Atoms and nuclear radiation

6.4.2.1 Radioactive decay and nuclear radiation

Content	Key opportunities for skills development
<p>Some atomic nuclei are unstable. The nucleus gives out radiation as it changes to become more stable. This is a random process called radioactive decay.</p> <p>Activity is the rate at which a source of unstable nuclei decays.</p> <p>Activity is measured in becquerel (Bq)</p> <p>Count-rate is the number of decays recorded each second by a detector (eg Geiger-Muller tube).</p> <p>The nuclear radiation emitted may be:</p> <ul style="list-style-type: none"> • an alpha particle (α) – this consists of two neutrons and two protons, it is the same as a helium nucleus • a beta particle (β) – a high speed electron ejected from the nucleus as a neutron turns into a proton • a gamma ray (γ) – electromagnetic radiation from the nucleus • a neutron (n). 	
<p>Required knowledge of the properties of alpha particles, beta particles and gamma rays is limited to their penetration through materials, their range in air and ionising power.</p> <p>Students should be able to apply their knowledge to the uses of radiation and evaluate the best sources of radiation to use in a given situation.</p>	WS 1.4, 1.5

6.4.2.2 Nuclear equations

Content	Key opportunities for skills development
<p>Nuclear equations are used to represent radioactive decay.</p> <p>In a nuclear equation an alpha particle may be represented by the symbol:</p> ${}^4_2\text{He}$ <p>and a beta particle by the symbol:</p> ${}^0_{-1}\text{e}$ <p>The emission of the different types of nuclear radiation may cause a change in the mass and /or the charge of the nucleus. For example:</p> ${}^{219}_{86}\text{radon} \longrightarrow {}^{215}_{84}\text{polonium} + {}^4_2\text{He}$ <p>So alpha decay causes both the mass and charge of the nucleus to decrease.</p> ${}^{14}_6\text{carbon} \longrightarrow {}^{14}_7\text{nitrogen} + {}^0_{-1}\text{e}$ <p>So beta decay does not cause the mass of the nucleus to change but does cause the charge of the nucleus to increase.</p> <p>Students are not required to recall these two examples.</p> <p>Students should be able to use the names and symbols of common nuclei and particles to write balanced equations that show single alpha (α) and beta (β) decay. This is limited to balancing the atomic numbers and mass numbers. The identification of daughter elements from such decays is not required.</p> <p>The emission of a gamma ray does not cause the mass or the charge of the nucleus to change.</p>	<p>WS 1.2, 4.1</p> <p>MS 1b, c, 3c</p>

6.4.2.3 Half-lives and the random nature of radioactive decay

Content	Key opportunities for skills development
<p>Radioactive decay is random.</p> <p>The half-life of a radioactive isotope is the time it takes for the number of nuclei of the isotope in a sample to halve, or the time it takes for the count rate (or activity) from a sample containing the isotope to fall to half its initial level.</p>	

9 Mathematical requirements

Students will be required to demonstrate the following mathematics skills in GCSE Combined Science assessments.

Questions will target maths skills at a level of demand appropriate to each subject. In Foundation Tier papers questions assessing maths requirements will not be lower than that expected at Key Stage 3 (as outlined in *Mathematics programmes of study: Key Stage 3* by the DfE, document reference DFE-00179-2013). In Higher Tier papers questions assessing maths requirements will not be lower than that of questions and tasks in assessments for the Foundation Tier in a GCSE Qualification in Mathematics.

1	Arithmetic and numerical computation
a	Recognise and use expressions in decimal form
b	Recognise and use expressions in standard form
c	Use ratios, fractions and percentages
d	Make estimates of the results of simple calculations

2	Handling data
a	Use an appropriate number of significant figures
b	Find arithmetic means
c	Construct and interpret frequency tables and diagrams, bar charts and histograms
d	Understand the principles of sampling as applied to scientific data (biology questions only)
e	Understand simple probability (biology questions only)
f	Understand the terms mean, mode and median
g	Use a scatter diagram to identify a correlation between two variables (biology and physics questions only)
h	Make order of magnitude calculations

3	Algebra
a	Understand and use the symbols: =, <, <<, >>, >, ∞, ~
b	Change the subject of an equation
c	Substitute numerical values into algebraic equations using appropriate units for physical quantities (chemistry and physics questions only)
d	Solve simple algebraic equations (biology and physics questions only)

4	Graphs
a	Translate information between graphical and numeric form
b	Understand that $y = mx + c$ represents a linear relationship

4	Graphs
c	Plot two variables from experimental or other data
d	Determine the slope and intercept of a linear graph
e	Draw and use the slope of a tangent to a curve as a measure of rate of change (chemistry and physics questions only)
f	Understand the physical significance of area between a curve and the x-axis and measure it by counting squares as appropriate (physics questions only)

5	Geometry and trigonometry
a	Use angular measures in degrees (physics questions only)
b	Visualise and represent 2D and 3D forms including two dimensional representations of 3D objects (chemistry and physics questions only)
c	Calculate areas of triangles and rectangles, surface areas and volumes of cubes

Mathematical skills references are taken from the DfE subject criteria.

10 Practical assessment

Practical work is at the heart of science, so we have placed it at the heart of this specification.

There are three interconnected, but separate reasons for doing practical work in schools. They are:

1. To support and consolidate scientific concepts (knowledge and understanding).

This is done by applying and developing what is known and understood of abstract ideas and models. Through practical work we are able to make sense of new information and observations, and provide insights into the development of scientific thinking.

2. To develop investigative skills. These transferable skills include:

- devising and investigating testable questions
- identifying and controlling variables
- analysing, interpreting and evaluating data.

3. To build and master practical skills such as:

- using specialist equipment to take measurements
- handling and manipulating equipment with confidence and fluency
- recognising hazards and planning how to minimise risk.

By focusing on the reasons for carrying out a particular practical, teachers will help their students understand the subject better, to develop the skills of a scientist and to master the manipulative skills required for further study or jobs in STEM subjects.

Questions in the written exams will draw on the knowledge and understanding students have gained by carrying out the practical activities listed below. These questions will count for at least 15% of the overall marks for the qualification. Many of our questions will also focus on investigative skills and how well students can apply what they know to practical situations often in novel contexts.

The practical handbook will help teachers plan purposeful practical work that develops both practical and investigative skills and encourages the thinking behind the doing so that they can reach their potential.

Teachers are encouraged to further develop students' abilities by providing other opportunities for practical work throughout the course. Opportunities are signposted in the right-hand column of the content section of this specification for further skills development.

Our Combined Science: Trilogy scheme of work will provide ideas and suggestions for good practical activities that are manageable with large classes.

10.1 Use of apparatus and techniques

All students are expected to have carried out the required practical activities in [Required practical activities](#) (page 175). The following list includes opportunities for choice and use of appropriate laboratory apparatus for a variety of experimental problem-solving and/or enquiry-based activities.

Safety is an overriding requirement for all practical work. Schools and colleges are responsible for ensuring that appropriate safety procedures are followed whenever their students undertake practical work, and should undertake full risk assessments.

Apparatus and techniques	
AT 7	Use of appropriate apparatus and techniques to draw, set up and use electrochemical cells for separation and production of elements and compounds (links to A-level AT d and j).

10.1.3 Physics

Apparatus and techniques	
AT 1	Use of appropriate apparatus to make and record a range of measurements accurately, including length, area, mass, time, volume and temperature. Use of such measurements to determine densities of solid and liquid objects (links to A-level AT a and b).
AT 2	Use of appropriate apparatus to measure and observe the effects of forces including the extension of springs (links to A-level AT a).
AT 3	Use of appropriate apparatus and techniques for measuring motion, including determination of speed and rate of change of speed (acceleration/deceleration) (links to A-level AT a, b and d).
AT 4	Making observations of waves in fluids and solids to identify the suitability of apparatus to measure speed/frequency/wavelength. Making observations of the effects of the interaction of electromagnetic waves with matter (links to A-level AT i and j).
AT 5	Safe use of appropriate apparatus in a range of contexts to measure energy changes/transfers and associated values such as work done (links to A-level AT a, b).
AT 6	Use of appropriate apparatus to measure current, potential difference (voltage) and resistance, and to explore the characteristics of a variety of circuit elements (links to A-level AT f).
AT 7	Use of circuit diagrams to construct and check series and parallel circuits including a variety of common circuit elements (links to A-level AT g).

10.2 Required practical activities

The following practical activities must be carried out by all students taking GCSE Combined Science: Trilogy.

Following any revision by the Secretary of State of the apparatus or techniques specified, we will review and revise the required practical activities as appropriate.

Schools and colleges will be informed of any changes in a timely manner and the amended specification will be published, highlighting the changes accordingly.

Teachers are encouraged to vary their approach to these practical activities. Some are more suitable for highly structured approaches that develop key techniques while others allow opportunities for students to develop investigative approaches.

This list is not designed to limit the practical activities carried out by students. A rich practical experience will include more than the 21 required practical activities. The explicit teaching of practical skills will build students' competence. Many teachers will also use practical approaches to introduce content knowledge in the course of their normal teaching.

10.2.14 Required practical activity 14

An investigation to determine the specific heat capacity of one or more materials. The investigation will involve linking the decrease of one energy store (or work done) to the increase in temperature and subsequent increase in thermal energy stored.

Apparatus and techniques

In doing this practical students should cover these parts of the apparatus and techniques requirements.

Physics AT 1 - use appropriate apparatus to make and record measurements of mass, time and temperature accurately.

Physics AT 5 – use, in a safe manner, appropriate apparatus to measure energy changes/transfers and associated values such as work done.

Key opportunities for skills development

In doing this practical there are key opportunities for students to develop the following skills.

WS 2.1 – use scientific theories and explanations to develop hypotheses.

WS 2.2 – plan experiments or devise procedures to make observations, produce or characterise a substance, test hypotheses, check data or explore phenomena.

WS 2.3 – apply a knowledge of a range of techniques, instruments, apparatus, and materials to select those appropriate to the experiment.

WS 2.4 – carry out experiments appropriately having due regard for the correct manipulation of apparatus, the accuracy of measurements and health and safety considerations.

WS 2.6 – make and record observations and measurements using a range of apparatus and methods.

WS 2.7 – evaluate methods and suggest possible improvements and further investigations.

WS 3.1 – present observations and other data using appropriate methods.

WS 3.2 – translate data from one form to another.

WS 3.3 – carry out and represent mathematical and statistical analysis.

WS 3.4 – represent the distribution of results and make estimations of uncertainty.

WS 3.5 – interpret observations and other data (presented in verbal, diagrammatic, graphical, symbolic or numerical form), including identifying patterns and trends, making inferences and drawing conclusions.

WS 3.6 – present reasoned explanations including relating data to hypotheses.

WS 3.7 – be objective, evaluate data in terms of accuracy, precision, repeatability and reproducibility and identify potential sources of random and systematic error.

WS 3.8 – communicate the scientific rationale for investigations, methods used, findings and reasoned conclusions through written and electronic reports and presentations using verbal, diagrammatic, graphical, numerical and symbolic forms.

WS 4.2 – recognise the importance of scientific quantities and understand how they are determined.

WS 4.3 – use SI units (eg kg, g, mg; km, m, mm; kJ, J) and IUPAC chemical nomenclature unless inappropriate.

WS 4.6 – use an appropriate number of significant figures in calculation.

MS 2a – use an appropriate number of significant figures.

MS 2b – find arithmetic means.

MS 3b – change the subject of an equation.

MS 3c – substitute numerical values into algebraic equations using appropriate units for physical quantities.

10.2.15 Required practical activity 15

Use circuit diagrams to set up and check appropriate circuits to investigate the factors affecting the resistance of electrical circuits. This should include:

- the length of a wire at constant temperature
- combinations of resistors in series and parallel.

Apparatus and techniques

In doing this practical students should cover these parts of the apparatus and techniques requirements.

Physics AT 1 – use appropriate apparatus to measure and record length accurately.

Physics AT 6 – use appropriate apparatus to measure current, potential difference and resistance.

Physics AT 7 – use circuit diagrams to construct and check series and parallel circuits.

Key opportunities for skills development

In doing this practical there are key opportunities for students to develop the following skills.

WS 2.1 – use scientific theories and explanations to develop hypotheses.

WS 2.2 – plan experiments or devise procedures to make observations, produce or characterise a substance, test hypotheses, check data or explore phenomena.

WS 2.3 – apply a knowledge of a range of techniques, instruments, apparatus, and materials to select those appropriate to the experiment.

WS 2.4 – carry out experiments appropriately having due regard for the correct manipulation of apparatus, the accuracy of measurements and health and safety considerations.

WS 2.5 – recognise when to apply a knowledge of sampling techniques to ensure any samples collected are representative.

WS 2.6 – make and record observations and measurements using a range of apparatus and methods.

WS 2.7 – evaluate methods and suggest possible improvements and further investigations.

WS 3.1 – present observations and other data using appropriate methods.

WS 3.2 – translate data from one form to another.

WS 3.3 – carry out and represent mathematical and statistical analysis.

WS 3.4 – represent the distribution of results and make estimations of uncertainty.

WS 3.5 – interpret observations and other data (presented in verbal, diagrammatic, graphical, symbolic or numerical form), including identifying patterns and trends, making inferences and drawing conclusions.

WS 3.6 – present reasoned explanations including relating data to hypotheses.

WS 3.7 – be objective, evaluate data in terms of accuracy, precision, repeatability and reproducibility and identify potential sources of random and systematic error.

WS 3.8 – communicate the scientific rationale for investigations, methods used, findings and reasoned conclusions through written and electronic reports and presentations using verbal, diagrammatic, graphical, numerical and symbolic forms.

WS 4.2 – recognise the importance of scientific quantities and understand how they are determined.

WS 4.3 – use SI units (eg kg, g, mg; km, m, mm; kJ, J) and IUPAC chemical nomenclature unless inappropriate.

WS 4.6 – use an appropriate number of significant figures in calculation.

MS 2a – use an appropriate number of significant figures.

MS 2b – find arithmetic means.

MS 4b – understand that $y = mx + c$ represents a linear relationship.

MS 4c – plot two variables from experimental or other data.

MS 4d – determine the slope and intercept of a linear graph.

10.2.16 Required practical activity 16

Use circuit diagrams to construct appropriate circuits to investigate the I–V characteristics of variety of circuit elements including a filament lamp, a diode and a resistor at constant temperature.

Apparatus and techniques

In doing this practical students should cover these parts of the apparatus and techniques requirements.

Physics AT 6 – use appropriate apparatus to measure current and potential difference and to explore the characteristics of a variety of circuit elements.

Physics AT 7 – use circuit diagrams to construct and check series and parallel circuits including a variety of common circuit elements.

Key opportunities for skills development

In doing this practical there are key opportunities for students to develop the following skills.

WS 2.1 – use scientific theories and explanations to develop hypotheses.

WS 2.2 – plan experiments or devise procedures to make observations, produce or characterise a substance, test hypotheses, check data or explore phenomena.

WS 2.3 – apply a knowledge of a range of techniques, instruments, apparatus, and materials to select those appropriate to the experiment.

WS 2.4 – carry out experiments appropriately having due regard for the correct manipulation of apparatus, the accuracy of measurements and health and safety considerations.

WS 2.5 – recognise when to apply a knowledge of sampling techniques to ensure any samples collected are representative.

- WS 2.6 – make and record observations and measurements using a range of apparatus and methods.
- WS 2.7 – evaluate methods and suggest possible improvements and further investigations.
- WS 3.1 – present observations and other data using appropriate methods.
- WS 3.2 – translate data from one form to another.
- WS 3.3 – carry out and represent mathematical and statistical analysis.
- WS 3.4 – represent the distribution of results and make estimations of uncertainty.
- WS 3.5 – interpret observations and other data (presented in verbal, diagrammatic, graphical, symbolic or numerical form), including identifying patterns and trends, making inferences and drawing conclusions.
- WS 3.6 – present reasoned explanations including relating data to hypotheses.
- WS 3.7 – be objective, evaluate data in terms of accuracy, precision, repeatability and reproducibility and identify potential sources of random and systematic error.
- WS 3.8 – communicate the scientific rationale for investigations, methods used, findings and reasoned conclusions through written and electronic reports and presentations using verbal, diagrammatic, graphical, numerical and symbolic forms.
- WS 4.2 – recognise the importance of scientific quantities and understand how they are determined.
- WS 4.3 – use SI units (eg kg, g, mg; km, m, mm; kJ, J) and IUPAC chemical nomenclature unless inappropriate.
- WS 4.6 – use an appropriate number of significant figures in calculation.
- MS 2a – use an appropriate number of significant figures.
- MS 2g – use a scatter diagram to identify a correlation between two variables.
- MS 4b – understand that $y = mx + c$ represents a linear relationship.
- MS 4c – plot two variables from experimental or other data.

10.2.17 Required practical activity 17

Use appropriate apparatus to make and record the measurements needed to determine the densities of regular and irregular solid objects and liquids. Volume should be determined from the dimensions of regularly shaped objects and by a displacement technique for irregularly shaped objects. Dimensions to be measured using appropriate apparatus such as a ruler, micrometre or Vernier callipers.

Apparatus and techniques

In doing this practical students should cover these parts of the apparatus and techniques requirements.

Physics AT 1 – use appropriate apparatus to make and record measurements of length, area, mass and volume accurately. Use such measurements to determine the density of solid objects and liquids.

Key opportunities for skills development

In doing this practical there are key opportunities for students to develop the following skills.

WS 1.2 – use a variety of models such as representational, spatial, descriptive, computational and mathematical to solve problems, make predictions and to develop scientific explanations and understanding of familiar and unfamiliar facts.

WS 2.1 – use scientific theories and explanations to develop hypotheses.

WS 2.2 – plan experiments or devise procedures to make observations, produce or characterise a substance, test hypotheses, check data or explore phenomena.

WS 2.3 – apply a knowledge of a range of techniques, instruments, apparatus, and materials to select those appropriate to the experiment.

WS 2.4 – carry out experiments appropriately having due regard for the correct manipulation of apparatus, the accuracy of measurements and health and safety considerations.

WS 2.6 – make and record observations and measurements using a range of apparatus and methods.

WS 2.7 – evaluate methods and suggest possible improvements and further investigations.

WS 3.1 – present observations and other data using appropriate methods.

WS 3.5 – interpret observations and other data (presented in verbal, diagrammatic, graphical, symbolic or numerical form), including identifying patterns and trends, making inferences and drawing conclusions.

WS 3.8 – communicate the scientific rationale for investigations, methods used, findings and reasoned conclusions through written and electronic reports and presentations using verbal, diagrammatic, graphical, numerical and symbolic forms.

WS 4.2 – recognise the importance of scientific quantities and understand how they are determined.

WS 4.3 – use SI units (eg kg, g, mg; km, m, mm; kJ, J) and IUPAC chemical nomenclature unless inappropriate.

WS 4.6 – use an appropriate number of significant figures in calculation.

MS 2a – use an appropriate number of significant figures.

MS 2b – find arithmetic means.

MS 5c – calculate areas of triangles and rectangles, surface areas and volumes of cubes.

10.2.18 Required practical activity 18

Investigate the relationship between force and extension for a spring.

Apparatus and techniques

In doing this practical students should cover these parts of the apparatus and techniques requirements.

Physics AT 1 - use appropriate apparatus to make and record length accurately.

Physics AT 2 - use appropriate apparatus to measure and observe the effect of force on the extension of springs and collect the data required to plot a force-extension graph.

Key opportunities for skills development

In doing this practical there are key opportunities for students to develop the following skills.

WS 2.1 – use scientific theories and explanations to develop hypotheses.

WS 2.2 – plan experiments or devise procedures to make observations, produce or characterise a substance, test hypotheses, check data or explore phenomena.

WS 2.3 – apply a knowledge of a range of techniques, instruments, apparatus, and materials to select those appropriate to the experiment.

WS 2.4 – carry out experiments appropriately having due regard for the correct manipulation of apparatus, the accuracy of measurements and health and safety considerations.

WS 2.6 – make and record observations and measurements using a range of apparatus and methods.

WS 3.1 – present observations and other data using appropriate methods.

WS 3.2 – translate data from one form to another.

WS 3.3 – carry out and represent mathematical and statistical analysis.

WS 3.5 – interpret observations and other data (presented in verbal, diagrammatic, graphical, symbolic or numerical form), including identifying patterns and trends, making inferences and drawing conclusions.

WS 3.8 – communicate the scientific rationale for investigations, methods used, findings and reasoned conclusions through written and electronic reports and presentations using verbal, diagrammatic, graphical, numerical and symbolic forms.

WS 4.6 – use an appropriate number of significant figures in calculation.

MS 2a – use an appropriate number of significant figures.

MS 2b – find arithmetic means.

MS 4a – translate information between graphical and numeric form.

MS 4b – understand that $y = mx + c$ represents a linear relationship.

MS 4c – plot two variables from experimental or other data.

10.2.19 Required practical activity 19

Investigate the effect of varying the force on the acceleration of an object of constant mass and the effect of varying the mass of an object on the acceleration produced by a constant force.

Apparatus and techniques

In doing this practical students should cover these parts of the apparatus and techniques requirements.

Physics AT 1 – use appropriate apparatus to make and record measurements of length, mass and time accurately.

Physics AT 2 – use appropriate apparatus to measure and observe the effect of force.

Physics AT 3 – use appropriate apparatus and techniques for measuring motion, including determination of speed and rate of change of speed (acceleration/deceleration).

Key opportunities for skills development

In doing this practical there are key opportunities for students to develop the following skills.

WS 2.1 – use scientific theories and explanations to develop hypotheses.

WS 2.2 – plan experiments or devise procedures to make observations, produce or characterise a substance, test hypotheses, check data or explore phenomena.

WS 2.3 – apply a knowledge of a range of techniques, instruments, apparatus, and materials to select those appropriate to the experiment.

WS 2.4 – carry out experiments appropriately having due regard for the correct manipulation of apparatus, the accuracy of measurements and health and safety considerations.

WS 2.6 – make and record observations and measurements using a range of apparatus and methods.

WS 2.7 – evaluate methods and suggest possible improvements and further investigations.

WS 3.1 – present observations and other data using appropriate methods.

WS 3.2 – translate data from one form to another.

WS 3.3 – carry out and represent mathematical and statistical analysis.

WS 3.4 – represent the distribution of results and make estimations of uncertainty.

WS 3.5 – interpret observations and other data (presented in verbal, diagrammatic, graphical, symbolic or numerical form), including identifying patterns and trends, making inferences and drawing conclusions.

WS 3.6 – present reasoned explanations including relating data to hypotheses.

WS 3.7 – be objective, evaluate data in terms of accuracy, precision, repeatability and reproducibility and identify potential sources of random and systematic error.

WS 3.8 – communicate the scientific rationale for investigations, methods used, findings and reasoned conclusions through written and electronic reports and presentations using verbal, diagrammatic, graphical, numerical and symbolic forms.

WS 4.2 – recognise the importance of scientific quantities and understand how they are determined.

WS 4.3 – use SI units (eg kg, g, mg; km, m, mm; kJ, J) and IUPAC chemical nomenclature unless inappropriate.

WS 4.6 – use an appropriate number of significant figures in calculation.

MS 2a – use an appropriate number of significant figures.

MS 2b – find arithmetic means.

MS 2g – use a scatter diagram to identify a correlation between two variables.

MS 4a – translate information between graphical and numeric form.

MS 4b – understand that $y = mx + c$ represents a linear relationship.

MS 4c – plot two variables from experimental or other data.

10.2.20 Required practical activity 20

Make observations to identify the suitability of apparatus to measure the frequency, wavelength and speed of waves in a ripple tank and waves in a solid and take appropriate measurements.

Apparatus and techniques

In doing this practical students should cover these parts of the apparatus and techniques requirements.

Physics AT4 – make observations of waves in fluids and solids to identify the suitability of apparatus to measure speed, frequency and wavelength.

Key opportunities for skills development

In doing this practical there are key opportunities for students to develop the following skills.

WS 2.3 – apply a knowledge of a range of techniques, instruments, apparatus, and materials to select those appropriate to the experiment.

WS 2.6 – make and record observations and measurements using a range of apparatus and methods.

WS 3.8 – communicate the scientific rationale for investigations, methods used, findings and reasoned conclusions through written and electronic reports and presentations using verbal, diagrammatic, graphical, numerical and symbolic forms.

WS 4.2 – recognise the importance of scientific quantities and understand how they are determined.

WS 4.3 – use SI units (eg kg, g, mg; km, m, mm; kJ, J) and IUPAC chemical nomenclature unless inappropriate.

10.2.21 Required practical activity 21

Investigate how the amount of infrared radiation absorbed or radiated by a surface depends on the nature of that surface.

Apparatus and techniques

In doing this practical students should cover these parts of the apparatus and techniques requirements.

Physics AT 1 – use appropriate apparatus to make and record temperature accurately.

Physics AT 4 – make observations of the effects of the interaction of electromagnetic waves with matter.

Key opportunities for skills development

In doing this practical there are key opportunities for students to develop the following skills.

WS 3.8 – communicate the scientific rationale for investigations, methods used, findings and reasoned conclusions through written and electronic reports and presentations using verbal, diagrammatic, graphical, numerical and symbolic forms.

WS 4.2 – recognise the importance of scientific quantities and understand how they are determined.

WS 4.3 – use SI units (eg kg, g, mg; km, m, mm; kJ, J) and IUPAC chemical nomenclature unless inappropriate.

WS 4.6 – use an appropriate number of significant figures in calculation.

MS 2c – construct and interpret frequency tables and diagrams, bar charts and histograms.

12 Appendix B: Physics equations

In solving quantitative problems, students should be able to recall and apply the following equations, using standard SI units.

Equations required for Higher Tier papers only are indicated by HT in the left-hand column.

Equation number	Word equation	Symbol equation
1	weight = mass \times gravitational field strength (g)	$W = m g$
2	work done = force \times distance (along the line of action of the force)	$W = F s$
3	force applied to a spring = spring constant \times extension	$F = k e$
4	distance travelled = speed \times time	$s = v t$
5	acceleration = $\frac{\text{change in velocity}}{\text{time taken}}$	$a = \frac{\Delta v}{t}$
6	resultant force = mass \times acceleration	$F = m a$
7 HT	momentum = mass \times velocity	$p = m v$
8	kinetic energy = $0.5 \times$ mass \times (speed) ²	$E_k = \frac{1}{2} m v^2$
9	gravitational potential energy = mass \times gravitational field strength (g) \times height	$E_p = m g h$
10	power = $\frac{\text{energy transferred}}{\text{time}}$	$P = \frac{E}{t}$
11	power = $\frac{\text{work done}}{\text{time}}$	$P = \frac{W}{t}$
12	efficiency = $\frac{\text{useful output energy transfer}}{\text{total input energy transfer}}$	
13	efficiency = $\frac{\text{useful power output}}{\text{total power input}}$	
14	wave speed = frequency \times wavelength	$v = f \lambda$

Equation number	Word equation	Symbol equation
15	charge flow = current × time	$Q = I t$
16	potential difference = current × resistance	$V = I R$
17	power = potential difference × current	$P = V I$
18	power = (current) ² × resistance	$P = I^2 R$
19	energy transferred = power × time	$E = P t$
20	energy transferred = charge flow × potential difference	$E = Q V$
21	density = $\frac{\text{mass}}{\text{volume}}$	$\rho = \frac{m}{V}$

Students should be able to select and apply the following equations from the *Physics equation sheet*.

Equations required for higher tier papers only are indicated by HT in the left-hand column.

Equation number	Word equation	Symbol equation
1	(final velocity) ² – (initial velocity) ² = 2 × acceleration × distance	$v^2 - u^2 = 2 a s$
2	elastic potential energy = 0.5 × spring constant × (extension) ²	$E_e = \frac{1}{2} k e^2$
3	change in thermal energy = mass × specific heat capacity × temperature change	$\Delta E = m c \Delta \theta$
4	period = $\frac{1}{\text{frequency}}$	
5 HT	force on a conductor (at right angles to a magnetic field) carrying a current = magnetic flux density × current × length	$F = B I l$
6	thermal energy for a change of state = mass × specific latent heat	$E = m L$
7 HT	potential difference across primary coil × current in primary coil = potential difference across secondary coil × current in secondary coil	$V_p I_p = V_s I_s$